Communications Network Design lecture 02

Matthew Roughan
<matthew.roughan@adelaide.edu.au>

Discipline of Applied Mathematics School of Mathematical Sciences University of Adelaide

March 2, 2009

Communications Network Design: lecture 02 – p.1/38

Computer Networks

Computer networks are a recent invention (in human history), but they have been around for longer than some of you may think. In this lecture we consider the underlying drivers in computer networks, and how this subject fits with the ongoing development of those networks.


20th century

Computer networks:

- First generation of electrical digital computers 1940s
- Second generation late 1950s and early 1960s
 - transistor invented in 1947 (at AT&T)
 - direct networks: peripherals such as printers directly attached to computers
- Third generation, post-1964
 - integrated circuits
 - real computer networks start
- 1965, Moore's law discovered
 - computers get better and better ...

Moore's Law

Moore's law: the speed of digital hardware increases by a factor of two every 18 months, or the number of transistors on a chip doubles, or the cost halves [1].



Communications Network Design: lecture 02 – p.4/38

Gilder's Law

Gilder's law: theoretical transmission capacity of a link increases by a factor of two every 12 months.

- http://www.seas.upenn.edu/~gaj1/promise.html
- http://www.dtc.umn.edu/~odlyzko/doc/tv.internet.txt
- http://telecomvisions.com/articles/beyondip/
- transmission capacity is still behind storage
 - 2000, backbones in US carried 144 PB/year, total disk capacity 3000 PB
 it would take 20 years to carry all the data
 - 2005, 100 GB disk is common, 1.5 Mbps
 it would take 6 days to carry all the data
 - network is catching up?

Networking drivers

- Moore's law drives PC business
- Gilder's law drives networks
 - something suss here lets discuss later
- Metcalfe's law also drives the Internet
 - The value of a network is proportional to the square of the number of users.
 - hence the failure of many "video-phone" trials
 but success of most recent "camera phones"

The Internet

- Leonard Kleinrock at MIT published the first paper on packet switching theory in, July 1961 [2].
- J.C.R. Licklider of MIT wrote memos "Galactic Network", and later convinced DARPA to fund, 1962.
- Baran defence proposal for robust network was a packet switched network, 1962 [3].
- Thomas Merrill, Larry Roberts, first network 1965
- Roberts's plan for the "ARPANET", published 1967
- IMP's (built by BBN) connected 1968-69
- 1972: First public demo, e-mail invented
- Vinton Cerf and Robert Kahn, TCP/IP, 1973


http://www.isoc.org/internet/history/brief.shtml

Communications Network Design: lecture 02 – p.7/38

Kleinrock's insight [2]

- computer traffic is bursty (it comes in spurts)
- more efficient to transmit packets of data on-demand than to reserve circuits between computers
 - setting up a circuit takes time (high latency)
 - keeping up a circuit set up is inefficient
 not used most of the time
 - all you want to do is send one little chunk of data
 example: typing one character at a time
 even a whole email is guite small
 - alternative: send data as packets


Paul Baran, 1960s, envisioned a comm.s network that would survive a major enemy attack. The sketch shows three network topologies described in [3].



http://www.cybergeography.org/atlas/historical.html

Communications Network Design: lecture 02 – p.9/38


A rough sketch map of the possible topology of ARPANET by Larry Roberts. Drawn in the late 1960s as part of the planning for the network [4, p.50].



http://www.cybergeography.org/atlas/historical.html

Communications Network Design: lecture 02 – p.10/38

The first node on ARPANET at University California Los Angeles (UCLA) on the 2nd of September 1969 [5].




- IMP = Interface Message Processor what we would call a router
- TIP = Terminal IMP
 - IMP to which terminals can directly connect
- Host = computer (which provides services)

Available at

http://www.cybergeography.org/atlas/historical.html

Dec 1969 "ARPA NETWORK". 4 nodes: Uni. of California Los Angeles (UCLA), Uni. of California Santa Barbara (UCSB), Uni. of Utah and the Stanford Research Institute (SRI) [5].




Available at

http://www.cybergeography.org/atlas/historical.html


- a lot of effort went into design of the protocols, and architecture
- the actual network was designed more by constraints: geographic, cost, political, (i.e. who had funding to participate)
 - some formal optimization (Howard Frank in particular)
- you can design a network on the back of an envelope when it has 4 nodes.
 - not so easy with 100

The map above shows the logical topology of ARPANET in April 1971. (computers connect direct to IMPs) [5].



Communications Network Design: lecture 02 – p.14/38


ARPANET grew rapidly as more sites are connected [5].




ARPANET grew rapidly as more sites are connected [5].

ARPA NETWORK, GEOGRAPHIC MAP

JUNE 1975



ARPANET grew rapidly as more sites are connected [5].



http://www.cybergeography.org/atlas/historical.html

Communications Network Design: lecture 02 – p.17/38

The Internet: the 80's


- new developments
 - Personal Computers (PCs)
 - \Rightarrow lots more computers to network
 - Ethernet (1973, Robert Metcalfe) creates LANs
- the Internet
 - TCP/IP provides a way to hook up the LANs and PC over wide areas (standard in 1980)
 - scale gets bigger
 - numbers increase
 - becomes international
 - partitioning

ARPANET splits into MILNET and ARPANET in early 80's, followed by further additions


The Internet: the 80's

ARPANET/MILNET [5].

ARPANET/MILNET GEOGRAPHIC MAP, APRIL 1984



Early Internet Growth




RFC 1296 ftp://ftp.isi.edu/in-notes/rfc1296.txt

Date (mm/yy)	hosts
08/1981	213
01/1992	727,000

Communications Network Design: lecture 02 – p.20/38

State of the core of the Internet in August 1987.




http://www.cybergeography.org/atlas/historical.html

Communications Network Design: lecture 02 – p.21/38

Networks of networks

These maps show the structure of JANET, the UK's academic and research network, in 1992.



http://www.cybergeography.org/atlas/historical.html

Communications Network Design: lecture 02 – p.22/38

The Internet: the 90's

ARPANET decommissioned 1990

NSF Backbone connects many other networks Australia connected in 1990 [6]

It was the first, and being first, was best, but now we lay it down to rest. Now pause with me a moment, shed some tears. For auld lange syne, for love, for years and years of faithful service, duty done, I weep. Lay down thy packet, now, O friend, and sleep. **Vinton Cerf, 1989**

commercial Internet services evolve

- 1995 NSFNET terminated (replaced by vBNS)
- effectively fully privatised Internet
- links through exchange points

The Internet: the 90's

Australia's network 1991

Australian Academic and Research Network Each regional state network consists of a single hub router with 48K or microwave links to each AARNet member. These star networks are interconnected by a national backbone, also configured as a star, centred Darwin on Melbourne. A satellite link from Melbourne to the USA connects AARNet to the Internet. Oueensland Regional Hub Northern Territory Regional Hub University of Queensland Northern Territory University Mountain View, California, United States (FIX-WEST) Brisbane West Australian Regional Hub University of West Australia South Australian Regional Hub University of Adelaide NSW Regional Hub Perth University of Sydney Adelaide lelbourne ACT Regional Hub Australian University 48K Digital Data Service (DDS) University AARNet National Hub 256K Satellite University of Melbourne May 1991 2M Megalink Victorian Regional Hub University of Melbourne Tasmanian Regional Hub University of Tasmania

http://www.ucs.ed.ac.uk/fmd/unix/edftp/pub/maps/

New network
http://www.aarnet.edu.au/engineering/aarnet3/


Communications Network Design: lecture 02 – p.24/38

The Internet: the 90's

http://www.w3.org/History.html

- 1990: World Wide Web Tim Berners-Lee created HyperText Markup Language, or HTML. Along with URL (Uniform Resource Locators), and HTTP (HyperText Transfer Protocol), created the web. Based on earlier work at CERN (1980).
- 1993: Mosaic (Marc Andreesen, NCSA) Mosaic became the first popular web browser. It was not only easy to use to access the World Wide Web, but it was also extremely easy to download and install!
- Killer app => the Internet takes off in a big way

Early Internet Growth



http://www.zakon.org/robert/internet/timeline/#1990s

Date (mm/yy)	hosts
08/1981	213
01/1992	727,000
01/1997	19,540,000

Communications Network Design: lecture 02 – p.26/38

Early Internet Bandwidth Growth


All the time **backbone** link speeds have been growing

- 1969: 50kbps
- 1988: NSFNET backbone upgraded to T1 (1.544Mbps)
- 1991: NSFNET backbone upgraded to T3 (44.736Mbps)
- 1996: MCI upgrades Internet backbone 622Mbps
- 1999: MCI/Worldcom begins upgrading the US backbone to 2.5 Gbps (OC48)
- circa 2003: 10 Gbps (OC192)

Backbone speeds are behind limits of transmission tech.
http://www.zakon.org/robert/internet/timeline/

Backbone link speed growth


Roughly doubles every two years (45% per year)



Note that extra links are added every year

Access vs Backbone

Simplistic picture of access vs backbone




Communications Network Design: lecture 02 – p.29/38

Early Internet Bandwidth Growth

Access link speeds grow as well

Nielsen's Law of Internet Bandwidth


a high-end user's connection speed grows by 50% per year



Communications Network Design: lecture 02 – p.30/38

Internet Traffic Growth


Traffic roughly doubles every year [7].



Combination of new users and higher bandwidth!

Communications Network Design: lecture 02 – p.31/38

Australian Traffic Growth



www.abs.gov.au

Communications Network Design: lecture 02 – p.32/38

- Focus of early commercial design was connectivity
 - not optimality
- Networks were almost designed on the back of an envelope
 - NFL cities (-Greenbay)
 - capacities chosen to make network sound hot
- exponential growth makes design simple
 - the network will be completely rebuilt every couple of years
- As they grew, they became more unwieldily
 - became partitioned and hierarchical
 - separate simpler networks

Will it ever stabilise?

Moore's law failure predictions have always failed But

- the number of users is finite
- the amount of time they can spend on the web is finite
- so growth should at least slow to growth of access line speeds?
- maybe it will even drop back to linear growth?
 - most other technologies saturate the market at some point
- maybe it will still grow?
 - machine to machine traffic

Economics lesson

Even without changes in growth patterns, much more care is needed in network design (for the Internet) now pre-2001:

- investment money relatively easy to obtain
- people would throw ridiculous amounts on money into foolish ventures
- NASDAQ peak 10th May 2000
- tech-wreck (2001-2002)
 - bubble burst, tech. stocks dropped rapidly

many people laid off


NASDAQ bottoms in Oct 2002 (large % drop)

post tech-wreck:

investments in networks must be very well justified

Maps of the Internet

Now the Internet is so complex, its hard to draw a map, so people try to visualise in other ways.



Communications Network Design: lecture 02 – p.36/38

Other computer networks

The history of computer communications is not just about the Internet

other technologies, e.g.

packet radio (Hawaii)

ATM/Framerelay

x.25

IBM's SNA

Appletalk

other countries, e.g.

France

UK

people: I haven't talked about them, but many individuals' contributions were critical [4, 6, 8].

References

- [1] G. E. Moore, "Cramming more components into integrated circuits," Electronics, vol. 38, April 1965.
- [2] L.Kleinrock, "Information flow in large communication networks." RLE Quarterly Progress Report, July 1961.
- [3] P. Baran, "On distributed communications: 1. introduction to distributed communications network." RAND Memorandum, August 1964.
- [4] K. Hafner and M. Lyon, Where Wizards Stay Up Late: The Origins of the Internet. Touchstone, 1996.
- [5] V. Cerf and B. Kahn, "Selected ARPANET maps," Computer Communications Review (CCR), vol. 20, pp. 81-110, 1990.
- [6] J. Abbate, Inventing the Internet. MIT Press, 1999.
- [7] A. M. Odlyzko, "Internet traffic growth: Sources and implications," in Optical Transmission Systems and Equipment for WDM Networking II, Proc. SPIE, vol. 5247, pp. 1-15, 2003.
- [8] P. H. Salus, Casting the Net: From ARPANET to Internet and beyond... Addison-Wesley, 1995.